



DEMOLITION PERMIT REQUIREMENTS & CONDITIONS OF APPROVAL

695 Warner Parrott Road
Oregon City, OR 97045
Phone: 503-722-3789 - Fax: 503-722-3880

Permit Number: _____
Date Received: _____

Site Address: _____

Subdivision: _____

Tax lot: _____ Lot No: _____

Conditions of Demolition Permit:

1. As soon as demolition has commenced, including importation of demolition equipment to the property, the demolition work shall continue uninterrupted during permitted work hours until all approved demolition work is completed. Demolition work is limited to the hours of 7:00 a.m. to 6:00 p.m. Monday through Friday, and 9:00 a.m. to 6:00 p.m. Saturday and Sunday [OCMC 9.12.023 (e) Noises prohibited].
2. All debris shall be promptly removed from the site and disposed of in a proper manner. This includes the removal of all foundation structures.
3. All wells, sanitary and storm sewer lines, septic tanks, cisterns, vaults, open pits, or similar items shall be capped, removed, or filled in an approved manner and inspected by the City.
 - a. Abandonment of a well – District 20 Watermaster (503) 312-1743
 - b. Removal of water meter – Oregon City Water Department (971)204-4600
 - c. Electrical, gas, telephone, cable – Contact the appropriate utility provider
4. Products containing lead paint – Contact the Oregon Health Authority at (971) 673-0440 and follow all procedures set forth on the OHA Lead Poisoning and Exposure to Lead page, which can be found [here](#). *Additional information can be found at Oregon.gov/oha*
5. Heating oil tanks – Contact the Heating Oil Tanks Helpline at (503) 229-6170 or find more information [here](#). *Additional information can be found at Oregon.gov/deq*
6. Products containing asbestos must be disposed of in an approved manner. Contact the Department of Environmental Quality at (503) 229-5696 for rules and regulations pertaining to asbestos abatement. Further information regarding proper asbestos procedures can be found at the Department of Environmental Quality Hazards and Cleanup page, found [here](#). *Additional information can be found at Oregon.gov/deq*. A copy of the DEQ asbestos abatement report will be required prior to issuance of a demolition permit.
7. Streets shall be kept clear of dirt and debris at all times. This includes:
 - a. Removing dirt and debris by use of shovel, scoop, or similar mechanical means immediately
 - b. Sweeping the streets as required to keep them clean
 - c. Washing the streets shall not be permitted unless the storm drain inlets are protected with a filter system
8. Gravel ramps in the public right-of-way to “jump curbs” are not allowed. An alternate, temporary-type ramp is allowed; however, a detail showing the type and location of the ramp is required. Contact the Oregon City Engineering Group at (971) 204-4601 if a permanent-type ramp is required, and for permits to create a new access.
9. Dust control shall be provided as required by OCMC 8.08.020 (o).

Issuance of a demolition permit to demolish a building is limited to the demolition and removal of the existing structure only. Other work may require additional permits. For example, the following work is not covered by this demolition permit and requires a separate permit:

- 1. Planning Division** at (503) 722-3789 – Additional permits may be required for commercial properties, or properties located within overlay districts, please follow [this link](#) for more information regarding the Type 1 Minor Site Plan and Design Review page.
- 2. Public Works Department** at (971) 204-4601 – Erosion Control
 - a. Demolition of site improvements such as pavement, asphalt, sidewalks, curbs, lighting, underground utilities, etc.
 - b. Clearing, stripping or removal of vegetation, ground cover or topsoil in an area that is more than (5) feet outside the footprints of existing buildings that are being demolished and in excess of 1,000 square feet of area on a site.
 - c. Grading, excavation, importing, depositing, placement, filling, or the stockpiling of soil, sand, gravel, crushed rock, demolition materials, recycled concrete, asphalt or other materials, or a combination thereof, in excess of 10 cubic yards in volume or over an area that exceeds 1,000 square feet.
 - d. The temporary stockpiling of demolition material from the existing buildings that are being demolished, to be recycled and re-used on the demolition property, and in excess of 10 cubic yards in volume, or occupy an area that exceeds 1,000 square feet in area on a site.
- 3. Engineering Group** at (971) 204-4601 – Any work within the public right-of-way.

This form serves as an affidavit that all hazardous materials have been properly disposed of per local, state and federal guidelines. By signing this form, I am certifying that I have read and understand the above requirements and conditions of the demolition permit:

Signed: _____

Date: _____

Print: _____