

Type of report: Tube Count - Speed Data

LOCATION: Boynton St W of Central Point Rd [1042]															QC JOB #: 16587811		
SPECIFIC LOCATION:															DIRECTION: EB		
CITY/STATE: Oregon City, OR															DATE: Oct 24 2024		
Start Time	1 15	16 20	21 25	26 30	31 35	36 40	41 45	46 50	51 55	56 60	61 65	66 70	71 75	76 999	Total	Pace Speed	Number in Pace
12:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1-10	0
01:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1-10	0
02:00 AM	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	16-25	1
03:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1-10	0
04:00 AM	0	0	1	3	0	0	0	0	0	0	0	0	0	0	4	21-30	4
05:00 AM	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	21-30	1
06:00 AM	0	1	0	3	2	0	0	0	0	0	0	0	0	0	6	26-35	5
07:00 AM	1	4	5	3	0	0	0	0	0	0	0	0	0	0	13	16-25	9
08:00 AM	0	1	2	6	0	0	0	0	0	0	0	0	0	0	9	21-30	8
09:00 AM	0	1	3	7	0	0	0	0	0	0	0	0	0	0	11	21-30	10
10:00 AM	0	2	1	5	6	1	0	0	0	0	0	0	0	0	15	26-35	11
11:00 AM	0	1	4	6	2	0	0	0	0	0	0	0	0	0	13	21-30	10
12:00 PM	3	2	5	4	3	0	0	0	0	0	0	0	0	0	17	21-30	9
01:00 PM	0	0	3	6	3	1	0	0	0	0	0	0	0	0	13	21-30	9
02:00 PM	0	0	4	13	2	0	0	0	0	0	0	0	0	0	19	21-30	17
03:00 PM	1	0	5	6	2	0	0	0	0	0	0	0	0	0	14	21-30	11
04:00 PM	1	2	5	14	0	1	0	0	0	0	0	0	0	0	23	21-30	19
05:00 PM	0	2	5	5	3	0	0	0	0	0	0	0	0	0	15	21-30	10
06:00 PM	0	5	10	14	2	0	0	0	0	0	0	0	0	0	31	21-30	24
07:00 PM	0	1	4	7	2	0	0	0	0	0	0	0	0	0	14	21-30	11
08:00 PM	0	0	2	0	0	1	0	0	0	0	0	0	0	0	3	16-25	2
09:00 PM	0	0	3	6	2	0	0	0	0	0	0	0	0	0	11	21-30	9
10:00 PM	0	0	2	0	1	0	1	0	0	0	0	0	0	0	4	16-25	2
11:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1-10	0
Day Total	6	22	65	109	30	4	1	0	0	0	0	0	0	0	237	21-30	174
Percent	2.5%	9.3%	27.4%	46%	12.7%	1.7%	0.4%	0%	0%	0%	0%	0%	0%	0%			
AM Peak Volume	7:00 AM 1	7:00 AM 4	7:00 AM 5	9:00 AM 7	10:00 AM 6	10:00 AM 1	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	10:00 AM 15		
PM Peak Volume	12:00 PM 3	6:00 PM 5	6:00 PM 10	4:00 PM 14	12:00 PM 3	1:00 PM 1	10:00 PM 1	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	6:00 PM 31		
Comments:																	

Report generated on 10/29/2024 11:06 AM

SOURCE: Quality Counts, LLC (<http://www.qualitycounts.net>)

LOCATION: Boynton St W of Central Point Rd [1042]															QC JOB #: 16587811		
SPECIFIC LOCATION:															DIRECTION: EB		
CITY/STATE: Oregon City, OR															DATE: Oct 24 2024		
Speed Range	1 15	16 20	21 25	26 30	31 35	36 40	41 45	46 50	51 55	56 60	61 65	66 70	71 75	76 999	Total	Pace Speed	Number in Pace
Grand Total	6	22	65	109	30	4	1	0	0	0	0	0	0	0	237	21-30	174
Percent	2.5%	9.3%	27.4%	46%	12.7%	1.7%	0.4%	0%	0%	0%	0%	0%	0%	0%			
Cumulative Percent	2.5%	11.8%	39.2%	85.2%	97.9%	99.6%	100%	100%	100%	100%	100%	100%	100%	100%			
ADT 237															85th Percentile: 29 MPH Mean Speed(Average): 26 MPH Median: 26 MPH Mode: 28 MPH		
Comments:																	

Report generated on 10/29/2024 11:06 AM

SOURCE: Quality Counts, LLC (<http://www.qualitycounts.net>)

TRUE DATA TO IMPROVE MOBILITY

Type of report: Tube Count - Speed Data

LOCATION: Boynton St W of Central Point Rd [1042] SPECIFIC LOCATION: CITY/STATE: Oregon City, OR															QC JOB #: 16587811 DIRECTION: EB, WB DATE: Oct 24 2024		
Start Time	1 15	16 20	21 25	26 30	31 35	36 40	41 45	46 50	51 55	56 60	61 65	66 70	71 75	76 999	Total	Pace Speed	Number in Pace
12:00 AM	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	16-25	1
01:00 AM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	11-20	1
02:00 AM	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2	16-25	2
03:00 AM	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2	16-25	2
04:00 AM	0	1	1	3	0	0	0	0	0	0	0	0	0	0	5	21-30	4
05:00 AM	0	2	1	4	0	1	0	0	0	0	0	0	0	0	8	21-30	5
06:00 AM	0	2	3	11	4	0	0	0	0	0	0	0	0	0	20	26-35	15
07:00 AM	1	5	7	7	1	0	0	0	0	0	0	0	0	0	21	21-30	14
08:00 AM	0	2	9	15	2	0	0	0	0	0	0	0	0	0	28	21-30	24
09:00 AM	0	4	9	15	1	0	0	0	0	0	0	0	0	0	29	21-30	24
10:00 AM	0	2	7	11	7	1	0	0	0	0	0	0	0	0	28	24-33	18
11:00 AM	1	1	8	13	5	0	0	0	0	0	0	0	0	0	28	21-30	21
12:00 PM	3	4	12	8	4	0	0	0	0	0	0	0	0	0	31	21-30	20
01:00 PM	2	0	9	12	4	1	0	0	0	0	0	0	0	0	28	21-30	21
02:00 PM	0	1	11	22	3	1	0	0	0	0	0	0	0	0	38	21-30	33
03:00 PM	1	1	10	10	3	0	0	0	0	0	0	0	0	0	25	21-30	20
04:00 PM	1	8	18	26	2	1	0	0	0	0	0	0	0	0	56	21-30	44
05:00 PM	0	8	11	12	3	1	0	0	0	0	0	0	0	0	35	21-30	23
06:00 PM	1	11	21	18	2	0	0	0	0	0	0	0	0	0	53	21-30	39
07:00 PM	0	2	9	10	4	0	0	0	0	0	0	0	0	0	25	21-30	19
08:00 PM	0	1	6	4	0	1	0	0	0	0	0	0	0	0	12	21-30	10
09:00 PM	0	1	5	8	2	0	0	0	0	0	0	0	0	0	16	21-30	13
10:00 PM	0	0	3	0	1	0	1	0	0	0	0	0	0	0	5	16-25	3
11:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1-10	0
Day Total	10	57	165	209	48	7	1	0	0	0	0	0	0	0	497	21-30	374
Percent	2%	11.5%	33.2%	42.1%	9.7%	1.4%	0.2%	0%	0%	0%	0%	0%	0%	0%			
AM Peak Volume	7:00 AM 1	7:00 AM 5	8:00 AM 9	8:00 AM 15	10:00 AM 7	5:00 AM 1	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	9:00 AM 29		
PM Peak Volume	12:00 PM 3	6:00 PM 11	6:00 PM 21	4:00 PM 26	12:00 PM 4	1:00 PM 1	10:00 PM 1	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	4:00 PM 56		
Comments:																	

Report generated on 10/29/2024 11:06 AM

SOURCE: Quality Counts, LLC (<http://www.qualitycounts.net>)

LOCATION: Boynton St W of Central Point Rd [1042]															QC JOB #: 16587811																																																																																																																																																																																																						
SPECIFIC LOCATION:															DIRECTION: EB, WB																																																																																																																																																																																																						
CITY/STATE: Oregon City, OR															DATE: Oct 24 2024																																																																																																																																																																																																						
Speed Range	1 15	16 20	21 25	26 30	31 35	36 40	41 45	46 50	51 55	56 60	61 65	66 70	71 75	76 999	Total	Pace Speed	Number in Pace																																																																																																																																																																																																				
Grand Total	10	57	165	209	48	7	1	0	0	0	0	0	0	0	497	21-30	374																																																																																																																																																																																																				
Percent	2%	11.5%	33.2%	42.1%	9.7%	1.4%	0.2%	0%	0%	0%	0%	0%	0%	0%																																																																																																																																																																																																							
Cumulative Percent	2%	13.5%	46.7%	88.7%	98.4%	99.8%	100%	100%	100%	100%	100%	100%	100%	100%																																																																																																																																																																																																							
ADT 497	<table><caption>Speed Distribution Data</caption><tr><th>Speed Range</th><th>Count</th></tr><tr><td>15-19</td><td>10</td></tr><tr><td>20-24</td><td>57</td></tr><tr><td>25-29</td><td>165</td></tr><tr><td>30-34</td><td>209</td></tr><tr><td>35-39</td><td>48</td></tr><tr><td>40-44</td><td>7</td></tr><tr><td>45-49</td><td>1</td></tr><tr><td>50-54</td><td>0</td></tr><tr><td>55-59</td><td>0</td></tr><tr><td>60-64</td><td>0</td></tr><tr><td>65-69</td><td>0</td></tr><tr><td>70-74</td><td>0</td></tr><tr><td>75-79</td><td>0</td></tr><tr><td>80-84</td><td>0</td></tr><tr><td>85-89</td><td>0</td></tr><tr><td>90-94</td><td>0</td></tr><tr><td>95-99</td><td>0</td></tr><tr><td>100-104</td><td>0</td></tr><tr><td>105-109</td><td>0</td></tr><tr><td>110-114</td><td>0</td></tr><tr><td>115-119</td><td>0</td></tr><tr><td>120-124</td><td>0</td></tr><tr><td>125-129</td><td>0</td></tr><tr><td>130-134</td><td>0</td></tr><tr><td>135-139</td><td>0</td></tr><tr><td>140-144</td><td>0</td></tr><tr><td>145-149</td><td>0</td></tr><tr><td>150-154</td><td>0</td></tr><tr><td>155-159</td><td>0</td></tr><tr><td>160-164</td><td>0</td></tr><tr><td>165-169</td><td>0</td></tr><tr><td>170-174</td><td>0</td></tr><tr><td>175-179</td><td>0</td></tr><tr><td>180-184</td><td>0</td></tr><tr><td>185-189</td><td>0</td></tr><tr><td>190-194</td><td>0</td></tr><tr><td>195-199</td><td>0</td></tr><tr><td>200-204</td><td>0</td></tr><tr><td>205-209</td><td>0</td></tr><tr><td>210-214</td><td>0</td></tr><tr><td>215-219</td><td>0</td></tr><tr><td>220-224</td><td>0</td></tr><tr><td>225-229</td><td>0</td></tr><tr><td>230-234</td><td>0</td></tr><tr><td>235-239</td><td>0</td></tr><tr><td>240-244</td><td>0</td></tr><tr><td>245-249</td><td>0</td></tr><tr><td>250-254</td><td>0</td></tr><tr><td>255-259</td><td>0</td></tr><tr><td>260-264</td><td>0</td></tr><tr><td>265-269</td><td>0</td></tr><tr><td>270-274</td><td>0</td></tr><tr><td>275-279</td><td>0</td></tr><tr><td>280-284</td><td>0</td></tr><tr><td>285-289</td><td>0</td></tr><tr><td>290-294</td><td>0</td></tr><tr><td>295-299</td><td>0</td></tr><tr><td>300-304</td><td>0</td></tr><tr><td>305-309</td><td>0</td></tr><tr><td>310-314</td><td>0</td></tr><tr><td>315-319</td><td>0</td></tr><tr><td>320-324</td><td>0</td></tr><tr><td>325-329</td><td>0</td></tr><tr><td>330-334</td><td>0</td></tr><tr><td>335-339</td><td>0</td></tr><tr><td>340-344</td><td>0</td></tr><tr><td>345-349</td><td>0</td></tr><tr><td>350-354</td><td>0</td></tr><tr><td>355-359</td><td>0</td></tr><tr><td>360-364</td><td>0</td></tr><tr><td>365-369</td><td>0</td></tr><tr><td>370-374</td><td>0</td></tr><tr><td>375-379</td><td>0</td></tr><tr><td>380-384</td><td>0</td></tr><tr><td>385-389</td><td>0</td></tr><tr><td>390-394</td><td>0</td></tr><tr><td>395-399</td><td>0</td></tr><tr><td>400-404</td><td>0</td></tr><tr><td>405-409</td><td>0</td></tr><tr><td>410-414</td><td>0</td></tr><tr><td>415-419</td><td>0</td></tr><tr><td>420-424</td><td>0</td></tr><tr><td>425-429</td><td>0</td></tr><tr><td>430-434</td><td>0</td></tr><tr><td>435-439</td><td>0</td></tr><tr><td>440-444</td><td>0</td></tr><tr><td>445-449</td><td>0</td></tr><tr><td>450-454</td><td>0</td></tr><tr><td>455-459</td><td>0</td></tr><tr><td>460-464</td><td>0</td></tr><tr><td>465-469</td><td>0</td></tr><tr><td>470-474</td><td>0</td></tr><tr><td>475-479</td><td>0</td></tr><tr><td>480-484</td><td>0</td></tr><tr><td>485-489</td><td>0</td></tr><tr><td>490-494</td><td>0</td></tr><tr><td>495-499</td><td>0</td></tr></table>														Speed Range	Count	15-19	10	20-24	57	25-29	165	30-34	209	35-39	48	40-44	7	45-49	1	50-54	0	55-59	0	60-64	0	65-69	0	70-74	0	75-79	0	80-84	0	85-89	0	90-94	0	95-99	0	100-104	0	105-109	0	110-114	0	115-119	0	120-124	0	125-129	0	130-134	0	135-139	0	140-144	0	145-149	0	150-154	0	155-159	0	160-164	0	165-169	0	170-174	0	175-179	0	180-184	0	185-189	0	190-194	0	195-199	0	200-204	0	205-209	0	210-214	0	215-219	0	220-224	0	225-229	0	230-234	0	235-239	0	240-244	0	245-249	0	250-254	0	255-259	0	260-264	0	265-269	0	270-274	0	275-279	0	280-284	0	285-289	0	290-294	0	295-299	0	300-304	0	305-309	0	310-314	0	315-319	0	320-324	0	325-329	0	330-334	0	335-339	0	340-344	0	345-349	0	350-354	0	355-359	0	360-364	0	365-369	0	370-374	0	375-379	0	380-384	0	385-389	0	390-394	0	395-399	0	400-404	0	405-409	0	410-414	0	415-419	0	420-424	0	425-429	0	430-434	0	435-439	0	440-444	0	445-449	0	450-454	0	455-459	0	460-464	0	465-469	0	470-474	0	475-479	0	480-484	0	485-489	0	490-494	0	495-499	0	85th Percentile: 29 MPH Mean Speed(Average): 25 MPH Median: 25 MPH Mode: 28 MPH		
Speed Range	Count																																																																																																																																																																																																																				
15-19	10																																																																																																																																																																																																																				
20-24	57																																																																																																																																																																																																																				
25-29	165																																																																																																																																																																																																																				
30-34	209																																																																																																																																																																																																																				
35-39	48																																																																																																																																																																																																																				
40-44	7																																																																																																																																																																																																																				
45-49	1																																																																																																																																																																																																																				
50-54	0																																																																																																																																																																																																																				
55-59	0																																																																																																																																																																																																																				
60-64	0																																																																																																																																																																																																																				
65-69	0																																																																																																																																																																																																																				
70-74	0																																																																																																																																																																																																																				
75-79	0																																																																																																																																																																																																																				
80-84	0																																																																																																																																																																																																																				
85-89	0																																																																																																																																																																																																																				
90-94	0																																																																																																																																																																																																																				
95-99	0																																																																																																																																																																																																																				
100-104	0																																																																																																																																																																																																																				
105-109	0																																																																																																																																																																																																																				
110-114	0																																																																																																																																																																																																																				
115-119	0																																																																																																																																																																																																																				
120-124	0																																																																																																																																																																																																																				
125-129	0																																																																																																																																																																																																																				
130-134	0																																																																																																																																																																																																																				
135-139	0																																																																																																																																																																																																																				
140-144	0																																																																																																																																																																																																																				
145-149	0																																																																																																																																																																																																																				
150-154	0																																																																																																																																																																																																																				
155-159	0																																																																																																																																																																																																																				
160-164	0																																																																																																																																																																																																																				
165-169	0																																																																																																																																																																																																																				
170-174	0																																																																																																																																																																																																																				
175-179	0																																																																																																																																																																																																																				
180-184	0																																																																																																																																																																																																																				
185-189	0																																																																																																																																																																																																																				
190-194	0																																																																																																																																																																																																																				
195-199	0																																																																																																																																																																																																																				
200-204	0																																																																																																																																																																																																																				
205-209	0																																																																																																																																																																																																																				
210-214	0																																																																																																																																																																																																																				
215-219	0																																																																																																																																																																																																																				
220-224	0																																																																																																																																																																																																																				
225-229	0																																																																																																																																																																																																																				
230-234	0																																																																																																																																																																																																																				
235-239	0																																																																																																																																																																																																																				
240-244	0																																																																																																																																																																																																																				
245-249	0																																																																																																																																																																																																																				
250-254	0																																																																																																																																																																																																																				
255-259	0																																																																																																																																																																																																																				
260-264	0																																																																																																																																																																																																																				
265-269	0																																																																																																																																																																																																																				
270-274	0																																																																																																																																																																																																																				
275-279	0																																																																																																																																																																																																																				
280-284	0																																																																																																																																																																																																																				
285-289	0																																																																																																																																																																																																																				
290-294	0																																																																																																																																																																																																																				
295-299	0																																																																																																																																																																																																																				
300-304	0																																																																																																																																																																																																																				
305-309	0																																																																																																																																																																																																																				
310-314	0																																																																																																																																																																																																																				
315-319	0																																																																																																																																																																																																																				
320-324	0																																																																																																																																																																																																																				
325-329	0																																																																																																																																																																																																																				
330-334	0																																																																																																																																																																																																																				
335-339	0																																																																																																																																																																																																																				
340-344	0																																																																																																																																																																																																																				
345-349	0																																																																																																																																																																																																																				
350-354	0																																																																																																																																																																																																																				
355-359	0																																																																																																																																																																																																																				
360-364	0																																																																																																																																																																																																																				
365-369	0																																																																																																																																																																																																																				
370-374	0																																																																																																																																																																																																																				
375-379	0																																																																																																																																																																																																																				
380-384	0																																																																																																																																																																																																																				
385-389	0																																																																																																																																																																																																																				
390-394	0																																																																																																																																																																																																																				
395-399	0																																																																																																																																																																																																																				
400-404	0																																																																																																																																																																																																																				
405-409	0																																																																																																																																																																																																																				
410-414	0																																																																																																																																																																																																																				
415-419	0																																																																																																																																																																																																																				
420-424	0																																																																																																																																																																																																																				
425-429	0																																																																																																																																																																																																																				
430-434	0																																																																																																																																																																																																																				
435-439	0																																																																																																																																																																																																																				
440-444	0																																																																																																																																																																																																																				
445-449	0																																																																																																																																																																																																																				
450-454	0																																																																																																																																																																																																																				
455-459	0																																																																																																																																																																																																																				
460-464	0																																																																																																																																																																																																																				
465-469	0																																																																																																																																																																																																																				
470-474	0																																																																																																																																																																																																																				
475-479	0																																																																																																																																																																																																																				
480-484	0																																																																																																																																																																																																																				
485-489	0																																																																																																																																																																																																																				
490-494	0																																																																																																																																																																																																																				
495-499	0																																																																																																																																																																																																																				
Comments:																																																																																																																																																																																																																					

Type of report: Tube Count - Speed Data

LOCATION: Boynton St W of Central Point Rd [1042] SPECIFIC LOCATION: CITY/STATE: Oregon City, OR															QC JOB #: 16587811 DIRECTION: WB DATE: Oct 24 2024		
Start Time	1 15	16 20	21 25	26 30	31 35	36 40	41 45	46 50	51 55	56 60	61 65	66 70	71 75	76 999	Total	Pace Speed	Number in Pace
12:00 AM	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	16-25	1
01:00 AM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	11-20	1
02:00 AM	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	16-25	1
03:00 AM	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2	16-25	2
04:00 AM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	11-20	1
05:00 AM	0	2	1	3	0	1	0	0	0	0	0	0	0	0	7	21-30	4
06:00 AM	0	1	3	8	2	0	0	0	0	0	0	0	0	0	14	21-30	11
07:00 AM	0	1	2	4	1	0	0	0	0	0	0	0	0	0	8	21-30	6
08:00 AM	0	1	7	9	2	0	0	0	0	0	0	0	0	0	19	21-30	16
09:00 AM	0	3	6	8	1	0	0	0	0	0	0	0	0	0	18	21-30	14
10:00 AM	0	0	6	6	1	0	0	0	0	0	0	0	0	0	13	21-30	12
11:00 AM	1	0	4	7	3	0	0	0	0	0	0	0	0	0	15	21-30	11
12:00 PM	0	2	7	4	1	0	0	0	0	0	0	0	0	0	14	21-30	11
01:00 PM	2	0	6	6	1	0	0	0	0	0	0	0	0	0	15	21-30	12
02:00 PM	0	1	7	9	1	1	0	0	0	0	0	0	0	0	19	21-30	16
03:00 PM	0	1	5	4	1	0	0	0	0	0	0	0	0	0	11	21-30	9
04:00 PM	0	6	13	12	2	0	0	0	0	0	0	0	0	0	33	21-30	25
05:00 PM	0	6	6	7	0	1	0	0	0	0	0	0	0	0	20	21-30	13
06:00 PM	1	6	11	4	0	0	0	0	0	0	0	0	0	0	22	16-25	17
07:00 PM	0	1	5	3	2	0	0	0	0	0	0	0	0	0	11	21-30	8
08:00 PM	0	1	4	4	0	0	0	0	0	0	0	0	0	0	9	21-30	8
09:00 PM	0	1	2	2	0	0	0	0	0	0	0	0	0	0	5	21-30	4
10:00 PM	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	16-25	1
11:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1-10	0
Day Total	4	35	100	100	18	3	0	0	0	0	0	0	0	0	260	21-30	200
Percent	1.5%	13.5%	38.5%	38.5%	6.9%	1.2%	0%	0%	0%	0%	0%	0%	0%	0%			
AM Peak Volume	11:00 AM 1	9:00 AM 3	8:00 AM 7	8:00 AM 9	11:00 AM 3	5:00 AM 1	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	12:00 AM 0	8:00 AM 19		
PM Peak Volume	1:00 PM 2	4:00 PM 6	4:00 PM 13	4:00 PM 12	4:00 PM 2	2:00 PM 1	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	12:00 PM 0	4:00 PM 33		
Comments:																	

Report generated on 10/29/2024 11:06 AM

SOURCE: Quality Counts, LLC (<http://www.qualitycounts.net>)

LOCATION: Boynton St W of Central Point Rd [1042]															QC JOB #: 16587811		
SPECIFIC LOCATION:															DIRECTION: WB		
CITY/STATE: Oregon City, OR															DATE: Oct 24 2024		
Speed Range	1 15	16 20	21 25	26 30	31 35	36 40	41 45	46 50	51 55	56 60	61 65	66 70	71 75	76 999	Total	Pace Speed	Number in Pace
Grand Total	4	35	100	100	18	3	0	0	0	0	0	0	0	0	260	21-30	200
Percent	1.5%	13.5%	38.5%	38.5%	6.9%	1.2%	0%	0%	0%	0%	0%	0%	0%	0%			
Cumulative Percent	1.5%	15%	53.5%	91.9%	98.8%	100%	100%	100%	100%	100%	100%	100%	100%	100%			
ADT 260															85th Percentile: 29 MPH Mean Speed(Average): 24 MPH Median: 24 MPH Mode: 28 MPH		
Comments:																	